

Index

Note: Italicized page numbers to boxes, figures and tables

- abbreviated SSDs, 38
- acquisition, 290–91
 - in adopted children, 92–3
- adjuncts, 75, 242*t*, 246, 336
- adopted children, 90–95
 - communication assessment of, 93–4
 - intervention, 94–5
 - language acquisition in, 92
 - speech acquisition in, 92–3
- advocacy groups, 32–5
- aetiology, 37*t*, 70–71
- affricate consonant, 48*t*
- agent of therapy, 321–2
- age of intervention, 326–7
- alleles, 37*t*
- American Speech Language Hearing Association (ASHA), 184
- Apraxia-KIDS, 32–4, 209
- articulation disorder, 40
 - as cover term, 40–41, 43*t*
 - functional, 12–13
 - integral stimulation for, 262
 - in internationally adopted children, 90
 - vs. phonological disorder, 50*b*
- articulators, strengthening of, 182
- articulatory phonetic factors, 76
- art of therapy, 358–60
- ASHA (American Speech Language Hearing Association), 184
- ASHA Childhood Apraxia of Speech Technical Report, 220–23
- assessment, 170–72
- assets-based approach, 170–74. *See also* intervention assessment, 170–72
 - cultural competence, 174
 - intervention, 172–3
 - outcomes, 173
 - reflection, 173–4
- Association of Speech and Language Therapists in Independent Practice (ASLTIP), 361–2
- attention span, 232–3
- attributions, 104
- audiogram, 60, 350–53
- audiologists, 356
- audiology, 349–58
- auditory bombardment, 129
- Auditory Input Therapy (AIT), 129–33
 - community settings, 132–3
 - comparative study, 131–2
 - implementing, 130–31
 - individuals and groups, 130
 - symptomatic treatment with, 247
- auditory masking, 292
- Auditory Verbal Therapy (AVT), 355
- augmentative alternative communication (AAC), 83–4, 222, 278–9
- Australia, speech intervention in, 157–60
- automatisation, 291–2
- babbling, 57*b*
- backing, 57*b*
- backward build-ups, 252
- backward chaining, 252–3
- Baker, Elise, 72–3
- behaviourist model, 21–2
- Bell, Alexander Melville, 4, 6
- Bernthal, John, 346–7
- best practices, 24, 157, 165–6, 202, 327
- biological model, 26
- Bleile, Ken, 109–14
- blocked practice, 255
- blocks and breaks, 296, 304
- body function, 56
- body structure, 56
- brag book, 277–8
- Butterfly Procedure, 241
- CALD (culturally and linguistically diverse) population, 42, 79, 110, 322, 342–4
- Canada, non-speech oral motor exercises in, 160–65
- canonical babbling, 57*b*
- caregivers, 292–3
- CASANA (Childhood Apraxia of Speech Association of North America), 32–5, 209
- case history interview, 56
- case studies
 - articulation therapy, 15–16
 - childhood apraxia of speech, 236–7
 - Dynamic Evaluation of Motor Speech Skill (DEMSS), 268–9

- case studies (*continued*)
 - hearing loss, 357–8
 - ICF-CY criteria, 113–14
 - level of difficulty, 259–61
 - Parents and Children Together (PACT), 315–20
 - perceptually based interventions, 154–5
 - speech assessment, 55
- causal subgroups, 39
- cerebral palsy, 162
- CEU (continuing education unit), 361
- Childhood Apraxia of Speech Association of North America (CASANA), 32–5, 209
- childhood apraxia of speech (CAS), 40–41
 - 10-point assessment prompt, 210–11*t*
 - approaches and techniques, 240*b*
 - assessment of, 221–2, 227–9
 - case example, 236–7
 - characteristics of, 205, 208*b*, 221, 235–6, 238*b*
 - as clinical disorder, 221
 - contextual changes in articulatory proficiency, 225
 - diagnosis and reporting, 233
 - differential diagnosis of, 238
 - disturbed temporal-spatial relationships of articulators, 225
 - vs. dysarthria, 229*t*
 - early days, 275–6
 - and expressive language, 226
 - general observation, 224
 - intervention tips, 278–9
 - limited attention span, 233
 - literature, 218–20
 - phonetic and phonemic issues in, 50*b*
 - phonetic characteristics/phonetic error types, 224
 - phonological awareness, 226
 - and receptive language, 226
 - research areas, 223
 - segmental characteristics, 224
 - sound sequencing difficulties in, 224–5
 - speech characteristics ratings form, 227–31
 - structural-functional evaluation, 231–3
 - suprasegmental characteristics, 224
 - symptomatic overlap with DPD, 237–40
 - symptomatic treatment of, 234–7
 - symptoms, 233–4
 - technical report, 220–23
 - testing for/observations of, 207*b*
 - therapy goals in, 205–11, 240*b*
 - timing disturbances in, 225
 - treatment of, 222–3, 239*b*
- children with speech and sound disorders, 81–4
 - cleft palate, 84–90
 - co-occurring speech and language disorders, 81–4
 - craniofacial anomalies, 84–90
 - culturally and linguistically diverse settings, 110–14
 - internationally adopted children, 90–95
 - limited stimulability, 95–101
 - parents of, 79–80
 - speech and literacy difficulties, 106–10
- chronological mismatch, 45, 206, 238*b*, 320
- citation naming, 11, 132, 175, 291, 329
- cleft lip and palate, 84–90
 - articulation errors, 89
 - associated syndromes, 86
 - errors in learning, 89
 - expert guidance, 89–90
 - and hearing, 86
 - hypernasality, 87–8
 - hyponasality, 87
 - oral resonance, 87
 - velopharyngeal incompetence, 88
 - voice, 87
- clinical decision making, 259, 358–60
- clinical forum, 30, 30–31, 75, 349
- clinical intuition, 358
- clinical phonology, 17–18
- clinical thinking, 358, 360
- clinicians, 347–9
- clip art, 294
- clusters, 74–5
 - consonant, 329
 - as early treatment target, 284–5
 - errors, 330
 - reduction of, 47*t*, 245–6
- cochlear implants, 113, 214, 297, 350, 355
- coda-onset sequences, 332
- cognitive/Stanford model, 28
- compensatory errors, 287–93
 - compensatory errors, treatment of, 289–93
 - acquisition, 290–91
 - acquisition/automatisation, 292–3
 - auditory masking, 292
 - automatisation, 291–2
 - caregiver involvement, 292–3
 - imagery, 291
 - imitative modelling, 290
 - nasal occlusion, 291
 - nonce words, 290–91
 - non-speech oral motor treatment, 293
 - non-speech sound stimulation, 290
 - self-monitoring, 292
 - speed drills, 291–2
- complex targets, 73–8. *See also* intervention
- communicating with clients, 77–8
- complexity, 75–7
 - as early treatment target, 284–5
 - implicational relationships/universals, 73–4
 - linguistic universals, 73
 - marked traits, 73
 - sonority, 74–5
- complexity, 75–7
 - articulatory phonetic factors, 76
 - clinical factors, 76–7
 - linguistic structures, 75–6
 - psycholinguistic structures, 76
- Comprehensive Assessment of Spoken Language*, 357
- computer software, 51, 54–5, 124
- consistency assessment, 62
- consistent deviant phonological disorder, 40
- consistent speech disorder, 137
- consonant clusters, 74, 329

- consonant harmony, 47*t*
- consonant inventory constraints, 318
- consonant worksheets, 294
- constraints-based non-linear approach, 190–93
- constructionist approach, 25
- constructs, 48
- construct validity, 333
- consumer advocacy, 32–5
- content validity, 333
- context sensitive voicing, 47*t*
- continuing education unit (CEU), 361
- continuing professional development (CPD), 361
- contrast, 133–4
- controversial practices, 202, 363
- Conventional Minimal Pair Therapy, 120–21
 - vs. Multiple Oppositions Therapy, 123
 - vs. other minimal pair approaches, 249*t*
- conversational speech, 318
- conversational speech production drill, 251–2
- conversational speech sample (CS sample), 11, 66–7, 316–18
- co-occurring speech and language disorders, 81–4
- Core Vocabulary Therapy, 135–7
- cranial nerves, 232–3
- craniofacial anomalies, 84–90
 - articulation errors, 89
 - associated syndromes, 86
 - errors in learning, 89
 - expert guidance, 89–90
 - and hearing, 86
 - hypernasality, 87–8
 - hyponasality, 87
 - oral resonance, 87
 - overview, 38
 - velopharyngeal incompetence, 88
 - voice, 87
- Critical Age Hypothesis, 20
- culturally and linguistically diverse (CALD) population, 42, 79, 110, 322, 342–4
- CV words, 271–2
 - incorporating into repertoire, 273
 - teaching, 273
- Cycles Phonological Remediation Approach, 19–21
 - assessment considerations, 20
 - evidence considerations, 20–21
 - time considerations, 20
- Cycles Therapy, 30, 134–5, 136*t*
- decibels hearing level (dB HL), 350
- Defective in Speech, The*, 11
- Demosthenic Rock Therapy (DRT), 215
- deoxyribonucleic acid (DNA), 37*t*
- developmental phonological disorder (DPD), 237–40
 - approaches and techniques, 240*b*
 - characteristics of, 205, 238*b*
 - marking, 281
 - marking with nasality, 281
 - marking with vowel length, 281
 - puzzle phenomenon, 281
 - signs, 280–81
 - symptomatic overlap with CAS, 237–40
 - testing for/observations of, 206*b*
 - therapy goals in, 205–11, 240*b*
 - treatment of, 239*b*
- developmental sequence, 282
- Developmental Systems Model, 113, 170
- developmental verbal dyspraxia (DVD). *See* childhood apraxia of speech (CAS)
- diadochokinesis, 232
- Diagnostic Evaluation of Articulation and Phonology (DEAP), 51, 52, 59*t*, 177, 206*b*, 298, 320
- differential diagnosis
 - clinician's prompt for, 238*b*
 - data/action, 326*t*
 - speech ratings in, 227–33
 - of speech sound disorders, 265
- diphthong, 244
- direct imitation, 264
- discussion groups, 219, 360–63
- distinctive features, 4, 8*t*, 9*t*, 13, 22, 32, 196
- distributed practice, 255
- doctoral degrees, 347
- doctoral shortage, 346–9
- doctoral studies, 347–9
- Dodd, Barbara, 322–3
- dosage, 321–2, 324–5
- dosage and scheduling, 321–2, 324–5
- Down syndrome, 5, 60, 162, 215
- dynamic assessment (DA), 266–75
 - case example, 268–9
 - integral stimulation, 267–8
 - and Nuffield Centre Dyspraxia Programme Third Edition, 269–75
 - prognosis, 267
 - severity, 266–7
- Dynamic Evaluation of Motor Speech Skill (DEMSS), 266–9
 - case example, 268–9
 - and integral stimulation, 267–8
 - prognosis, 266–7
 - severity tests, 266–7
- Dynamic Temporal and Tactile Cueing (DTTC), 253, 263–4
- dysarthria, 229*t*
- dyslalia, 12–13
- early communication intervention (ECI), 169–74
 - assessment, 170–72
 - asset-based approach, 170
 - cultural competence, 174
 - intervention, 172–3
 - outcomes, 173
 - reflection, 173–4
- eclecticism and intervention, 178–9
- eco-map, 171–2
- Edinburgh Articulation Test*, 132
- Eldridge, Margaret, 3
- electronic communication, 360–63
- electronic mailing lists, 362
- electropalatography (EPG), 355

- Empty Set (Unknown Set) Therapy, 121–2, 249*t*, 285–6
English as a Second Language (ESL), 91–2, 95
environment, 37*t*
ethics, 199–202
ethnographic analysis, 344–5
evidence-based practice, 365
experience, 365–6
expressive language, 226
- fads, 365
family-centred practice, 157–60
family education, 306–8
fantasy, 104
feature contrasts, 44
feedback, 255–6
Fey, Marc, 30
final consonant deletion (FCD), 47*t*, 57*b*, 244
fixed-up-one routine, 306, 309, 310*f*, 336–7
Flipsen, Peter, Jr., 65–8
fluency, 231
focused auditory input, 130
foetal alcohol syndrome, 86
fricative consonant, 48*t*
Froud, Karen, 194–5
functional articulation disorder, 12–13
functional speech disorders, 38
- gaps, 207*b*, 353
gender stereotyping, 343–4
gene, 37*t*
gene expression, 37*t*
generalisation, 72, 304
generative linguistics, 5
genetics, 37–8, 70–71
genogram, 171*f*
genome, 37*t*
genotypes, 37*t*, 70–71
Germany, 192–3
gesture cues, 242–3*t*
gliding of liquids, 48*t*
glottal fry, 230–31
glottal insertion, 284
glottal replacement, 57*b*
glue ear. *See* otitis media with effusion (OME)
goal setting, 71–2
Goldman Frisloe Test of Articulation – 2nd Edition
(GFTA-2), 93, 125–6
grammar, 5
Gretz, Sharon, 32–5
groups of sounds, 43–4
Grunwell, Pamela, 17–18, 117–18
- Handbook of Clinical Phonology*, 30
hearing, 86, 350–58
hearing loss, 355
Help Me Talk Right, 17
Hesketh, Anne, 143–7
highly unintelligible children, 19–21, 135, 214, 235–6
history of speech intervention, 8–9*t*
HIV/AIDS, 169–74
- Hodge, Megan, 160–65
Hodson, Barbara, 19–20
Holder, William, 4, 6
homework, 17, 276–7, 314–15
homologous chromosomes, 37*t*
homophony, 45, 117, 120–21, 206*t*, 283, 297, 304, 312
hypernasality, 87–8
hyperprosody, 230
hyponasality, 87
hypoprosody, 230
- ICF-CY (International Classification of Functioning, Disability and Health-Children and Youth), 110–14
IDEA (Individuals with Disabilities Education Improvement Act), 34, 84
idiopathic CAS, 221
imagery, 291
imagery names, 242–3*t*
Imagery Therapy, 133–4
imitation, 263
imitative modelling, 290
implicational relationships/universals, 73–4
incidence, 37*t*
incidence proportion, 37*t*
incidence rate, 37*t*
Inconsistency Assessment, 137
inconsistent deviant phonological disorder, 40
inconsistent speech disorder, 137
independent analysis, 56–60, 62
Individuals with Disabilities Education Improvement Act (IDEA), 34, 84
Ingram, David, 17, 22–6
inheritance, 37*t*
initial consonant deletion (ICD), 57*b*, 244
integral stimulation, 222, 262–3, 267–8
intelligibility. *See also* highly unintelligible children
and phonological patterns, 19–21
ratings, 69
and target selection, 284
International Affairs Association (IAA), 110
International Classification of Functioning, Disability and Health-Children and Youth (ICF-CY), 110–14
internationally adopted children, 90–95
communication assessment of, 93–4
intervention, 94–5
language acquisition in, 92
speech acquisition in, 92–3
Internet, 209, 280, 306, 360–61, 363–4
intervention, 169–74
age of, 326–7
assessment, 170–72
asset-based approach, 170
complex targets, 73–8
considerations, 94–5
cultural competence, 174
dosage, 324–5
hearing loss, 355–6
intervention, 172–3
level of, 256–62

- outcomes, 173
- randomised control trial, 326
- reflection, 173–4
- scheduling, 324–5
- theory of, 29
- tips, 278–9
- interventions, 115–55
 - auditory input therapy, 129–33
 - core vocabulary therapy, 135–7
 - hierarchy, 31*t*
 - imagery therapy, 133–4
 - parental involvement in, 156–60
 - patterns approach, 134–5
 - perceptually based, 151–5
 - phoneme awareness, 143–7
 - phonemic, 116–29
 - phonetic approaches, 115–16
 - psycholinguistic approach, 137–40
 - vowel therapy, 147–51
 - whole language therapy, 135
- intrinsic motivation, 101–5
 - attributions, 104
 - fantasy, 104
 - praise, 103
 - self-efficacy, 104–5
- Joffe, Victoria, 175
- Jolly Phonics*, 109
- Jones, Daniel, 6
- Lancaster, Gwen, 129–33
- language disorders, 81–4
 - articulation disorder, 50*b*
 - case history factors, 327
 - dynamic assessment, 266
 - phonological disorder, 50*b*
- laryngeal function, 232
- late onset of speech, 57*b*, 234
- learnability theory, 7, 75, 286
- least phonological knowledge, 286
- Leitão, Suze, 358–60
- level of difficulty, 256–62
- levels of representation, 28–32
- lexical properties, 286
- Lindamood Auditory Conceptualization Test, 15
- linguistic processing deficit, generic transmission of, 70
- linguistics, 4–5
- Linguistic theory, 13, 32, 192, 196, 282
- linguistic universals, 73
- linguistic variation, 341, 342
- liquid consonants, gliding of, 48*t*
- literacy, 46–8
- locus, 37*t*
- Lof, Gregory, 180–84
- long words, 330, 334*t*
- loudness, 231
- Lowe, Robert, 101–5
- mailing lists, 362
- Māori children, 356
- marked consonants, 285
- Markedness theory, 73, 285
- marked traits, 73
- marking, 281
 - with nasality, 281
 - with vowel length, 281
- massed practice, 255
- maturational approach, 25
- Maximal Oppositions Therapy, 121, 249*t*, 285–6
- McCauley, Rebecca, 81–4
- McComas, Karen, 184–5
- meaning, 44–5
- melodic intonation therapy, 247
- metalinguistic approaches, 246
- metalinguistic training, 308–9
- Metaphon*, 118–20
 - core activity, 120
 - final phase, 120
 - overview, 43
 - Phase 1, 118–19
 - Phase 2, 119–20
 - substitution processes, 119
 - syllable structure processes, 119
- metrical structure, 332–3
- Miccio, Adele, 96–101
- middle ear disease, 57*b*, 70
- miming, 264
- minimal contrast therapy, 247, 283
- minimally verbal children, 214, 239, 249
- minimal pairs, 120–29. *See also* intervention
 - comparison of, 249*t*
 - conventional, 120–21
 - empty set, 121–2
 - maximal oppositions, 121
 - multiple oppositions, 122–9
 - overview, 29, 42–3
- misuse of terms, 45
- monogenic disorder, 37*t*
- monosyllables, production of, 245
- motivation, 101–5
 - attributions, 104
 - fantasy, 104
 - praise, 103
 - self-efficacy, 104–5
- motivational program, 17
- motor drill, 255
- motor learning, 254–5
 - conditions of practice, 254–5
 - definition of, 96
 - dynamic temporal and tactile cueing, 263–4
 - feedback to the child, 255–6
 - and integral stimulation, 222
 - practice schedules, 255
 - precursors, 96, 254
 - pre-practice, 240–41
 - principles of, 254–5
 - rate of production trials, 256
 - repetitive practice, 255
- motor speech disorders, 38, 41, 265–6
- motor speech examination worksheet, 212–13*t*

- multiple dyslalia, 13
- multiple exemplar training, 311–14
- multiple misarticulations, 13
- Multiple Oppositions Therapy, 122–9
 - assessment process, 125–6
 - vs. conventional minimal pair therapy, 123
 - multiple targets, 123
 - vs. other minimal pair approaches, 249*t*
 - phases, 123, 128*t*
 - procedures, 126–9
 - sound contrasts in phonology, 123–4
- multi-syllabic words, reduction of, 245
- muscle warm-up, 183

- nares, 232
- nasality, marking with, 281
- nasal occlusion, 291
- National Health Service (NHS), 131
- natural phonology model, 26–7
- Neilson, Roslyn, 106–10
- Neojakobson Theory, 22
- new sounds, teaching, 272
- New Zealand Sign Language, 357
- New Zealand, speech and education in, 165–9
- Nicaragua, 110–14
- NILPOD, 192–3
- No Child Left Behind (Public Law 107-110), 84
- nonce words, 290–91
- non-developmental errors, 284
- non-linear phonology, 189–94
 - clinical training and practice, 195
 - clinician effectiveness, 191–3
 - constraints-based, 190–93
 - goal types, 191*t*
 - vs. linear approaches, 195–7
 - recommended readings, 193–4
 - theory-to-practice divide, 197–8
- non-speech oral motor exercises (NS-OME), 180–84
 - association's responsibilities, 183–4
 - awareness of, 183
 - clinician's responsibilities, 183–4
 - definition of, 181
 - ethics, 199–202
 - in Nuffield Programme, 271
 - part-whole training and transfer, 181
 - relevancy of, 183
 - research evidence, 183
 - strengthening of articulators, 182
 - task specificity, 182
 - use in Canada, 160–65
 - use in North America, 180
 - use in USA, 199
- non-speech oral motor treatment (NS-OMT), 7, 293
- non-speech sound stimulation, 290
- non-stimulable phonemes, 285
- Normal Speech and Speech Deviations*, 9
- normative data, 69

- Nuffield Centre Dyspraxia Programme Third Edition (NDP3), 269–75
 - CV words, 271–2
 - incorporating new CV words into repertoire, 273
 - oro-motor activities, 271
 - sequencing, 272–3
 - single sounds, 271–2
 - teaching sounds, 272
 - word combinations, 274
- Nunes, Aubrey, 3–4

- oligogenic disorder, 37*t*
- online resources, 295
- oral motor exercises (OME), 180–84
 - association's responsibilities, 183–4
 - awareness of, 183
 - clinician's responsibilities, 183–4
 - definition of, 181
 - ethics, 199–202
 - in Nuffield Programme, 271
 - part-whole training and transfer, 181
 - relevancy of, 183
 - research evidence, 183
 - strengthening of articulators, 182
 - task specificity, 182
 - use in Canada, 160–65
 - for velopharyngeal incompetence, 88
- oral motor treatment (OMT), 293
- oral resonance, 87
- oro-motor activities, 271
- otitis media with effusion (OME)
 - research needs, 356
 - socioeconomic/demographic factors, 354*t*
 - and speech sound disorder, 70, 353
- Overby, Megan, 346–7

- palatal fronting, 47*t*
- Pappas, Nicole Watts, 156–60
- parent-administered therapy, 17
- parents
 - education, 306–8, 328–9
 - involvement in speech intervention, 156–60, 178
 - and motivational programs, 17
 - perception of child's SSD, 79–80
- Parents and Children Together (PACT), 296–340
 - assessing progress in, 300
 - case study, 315–20
 - background, 315
 - family, 320–21
 - initial presentation, 315
 - referral, 316
 - screening process, 316–20
 - therapy planning, 320–21
 - components of, 306–15
 - homework, 314–15
 - metalinguistic training, 308–9
 - multiple exemplar training, 311–14
 - parent education, 306–8
 - phonetic production training, 309–11
 - empirical support, 297

- goals and goals attack, 300–302
- intervention, 302–6
 - dosage, 305
 - scheduling, 304
 - target selection, 305–6
 - therapy sessions, 302–4
- materials and equipment, 302
- primary population, 296–7
- Quick Screener*, 298–300
- secondary population, 297
- theoretical basis, 297
- therapy planning, 321–2
- therapy sessions, 327–9, 334–40
- Patterns approach, 134–5, 136*t*
- percentages of consonants correct (PCCs), 49, 66–9, 93, 316
- percentages of consonants correct-revised (PCC-R), 67
- percentages of occurrences of processes/patterns, 69
- percentages of vowels correct (PVC), 316–18
- Percent Consonant Match (PCM), 192
- perceptually based interventions, 151–5
 - alternatives, 153–4
 - case example, 154–5
 - conditions, 153
- PhD programs, 347–8
- phenotype, 38*t*
- phon words, 46
- Phoneme Awareness Therapy, 143–7
 - identifying low performers, 145
 - intervention in, 146–7
 - procedure, 143–4
 - and speech work, 147
- Phoneme Factory Phonology Screener*, 51, 54–5
- Phoneme Factory Sound Sorter* (software), 51, 54–5
- phonemes, 6
 - collapses, 123
 - errors, 20
 - non-stimulable, 285
 - stimulable, 283
 - systemic function of, 286
- phonemic disorders, 41
- phonemic intervention, 116–29
 - feature contrasts, 117
 - Grunwell's approach, 117–18
 - Metaphon*, 118–20
 - minimal pairs, 120–29
- phonetic approaches, 115–16
- phonetic development, schedules for, 11*t*
- phonetic disorders, 41
- phonetic errors, 224, 265
- phonetic placement, 44, 241
- phonetic production training, 309–11
- phonological acquisition, 28
 - behaviourist model, 21–2
 - biological model, 26
 - cognitive/Stanford model, 28
 - natural phonology model, 26–7
 - prosodic model, 27–8
 - structuralist model, 22
- Phonological Assessment of Child Speech* (PACS), 9*t*, 58, 59*t*
- phonological awareness, 143, 226
- phonological delay, 40
- phonological disorder, 46
 - vs. articulation disorder, 50*b*
 - characteristics of, 45
 - as cover term, 41–2
- phonological disorders with organic bases, 41–2
- phonological generalisation, 72, 304
- phonological principles, 43–5
 - feature contrasts, 44
 - making meaning, 44–5
 - modifying groups of sounds, 43–4
- phonological processes/processing, 46–8
- phonological therapy, 42
- phonologicaltherapy list, 362–3
- phonotactic inventory constraints, 205, 208*t*, 238*b*, 240*t*
- phonotactic therapy, 243–6
 - cluster reduction, 245–6
 - final consonant deletion, 244
 - initial consonant deletion, 244
 - production of monosyllables, 245
 - reduction of multi-syllabic words, 245
 - reduplication, 244–5
 - replacement of VC with diphthong, 244
 - weak syllable deletion, 245
- pictures, 293–4
- pitch, 231
- place-voice-manner (PVM) analysis, 84
- Pollock, Karen, 90–95
- polygenic disorder, 38*t*
- polysyllabic words, 329
- Poole, Irene, 10
- population screening, 53–4
- Powell, Thomas W., 198–9
- practice schedules, 255
 - blocked vs. random, 255
 - conditions of, 255
 - massed vs. distributed, 255
 - repetitive, 255
- practitioners' survival kit, 365–6
- praise, 103
- pre-practice, 96, 240–41
- Pre-school and Primary Inventory of Phonological Awareness*, 145
- prevalence, 38*t*, 70
- process analysis, 29, 56, 136*t*, 207*b*
- production trials, rate of, 256
- prognosis, 71
- progressive approximations, 250
- progressive approximations method, 44
- prolongation of vowels, 250
- Prompts for Restructuring Oral Muscular Phonetic Targets (PROMPT), 279, 361
- prosodic model, 27–8
- prosodic words, 333
- prosody, 230

- psycholinguistic approach, 137–40
 - definition of, 138
 - input, 141
 - input processing, 139
 - online assessment, 140
 - output, 142
 - output processing, 139–40
 - representations, 139
 - speech and literacy, 142
- psycholinguistic profiling, 40, 138–42, 176
- psycholinguistic structures, 76
- Public Law 107-110 of 2001 (No Child Left Behind), 84
- pure tone audiometry (PTA), 352*b*
- puzzle phenomenon, 206*t*, 281
- PVM (place-voice-manner) analysis, 84
- questionnaire, 56
- Quick Screener*, 109, 298–300
- randomised control trial, 326
- random practice, 255
- rate, 231
- Raz, Mirla G., 14–15
- reading, 246–7
- receptive language, 226
- receptive-expressive gap, 207*b*
- reduplication, 244–5
- referral, 56, 70, 80, 89, 316, 356
- relational analysis, 56–60, 62
- Remediation of Common Phonological Processes*, 30
- repetitive practice, 255
- representation, levels of, 28–32
- researchers, 347–9
- research needs, 349
- research-practice gap, 179, 346–9
- research preparation, 348
- resonance, 230–31
 - comparison of, 232
 - and velopharyngeal function, 231–2
- respiratory function, 231
- retirement, 364
- ribonucleic acid (RNA), 38*t*
- Rosenthal, Joan, 364–6
- Roulstone, Sue, 51–3
- Royal College of Speech and Language Therapists (RCSLT), 4
- Ruscello, Dennis, 288–9
- Rvachew, Susan, 151–5
- scheduling, 255, 321–2, 324–5
- school teachers, 106–10
- screening, 49–55
 - assessments, 52–3
 - of at-risk populations, 52
 - case illustration, 55
 - Parents and Children Together, 316–20
 - population, 53–4
 - SLP/SLT triage screening, 52
 - for speech impairments, 52–3
- self-efficacy, 104–5
- self-monitoring, 251, 292
- sensorineural hearing loss (SNHL), 353, 355
- sensory impairments, 38
- sequencing, 272–3
- service delivery, 323–4
- severity, 68–9
- severity measures, 65
- sexual orientation, 343–4, 346
- shaping, 44, 241
- singing, 249–50
- single sounds, 271–2
- single word production drill, 251–2
- single word sample (SW sample), 316–20
- Skinder-Meredith, Amy, 226–7
- social importance, 282
- social indexing, 342–6
- sociophonetics, 341–6
- SODA (Substitution, Omission, Distortion, Addition) analysis, 13
- soft palate, 232
- sonority, 74–5
- sonority sequencing principle, 74, 286
- Sound Contrasts in Phonology* (software), 124
- sound in isolation, 139, 290
- Sound Patterns of English, The*, 13
- sounds
 - inconsistently erred, 283–4
 - joining, 273
 - later developing, 284–5
 - teaching, 272
- sound system disorders, 38, 42
- South Africa, speech intervention in, 169–74
 - assessment, 170–72
 - asset-based approach, 170
 - cultural competence, 174
 - intervention, 172–3
 - outcomes, 173
 - reflection, 173–4
- South Tyneside Assessment of Phonology* (STAP), 175
- speech and language therapists (SLTs), 106–10
 - in Canada, 160–65
 - clinical decisions, 358–60
 - collaboration with audiologists, 356
 - consequences of variation, 344
 - education in New Zealand, 165–9
 - electronic communication, 360–63
 - ethnographic analysis, 344–5
 - mailing lists, 362
 - misuse of terms, 45
 - and parental involvement, 158–60
 - sociophonetics, 342–6
 - teacher–researcher shortage, 347–9
 - Web site, 363–4
- speech and language therapy (SLT), 4
 - and parents, 79–80
 - referrers, 80
 - triage screening, 52

- speech assessment, 59*t*
 - diagnostic evaluation, 56
 - screening, 49–55
- Speech Assessment and Interactive Learning System* (SAILS), 152–4
- speech characteristics ratings form (SCRF), 227–31
 - administration, 230
 - comments sections, 230
 - glottal fry, 230–31
 - loudness, 231
 - pitch, 231
 - prosody, 230
 - rate/fluency, 231
 - resonance, 230–31
 - voice quality, 230–31
- Speech Corrections: Principles and Methods*, 10, 14
- speech data collection and analysis, 60–65
 - consistency assessment, 62
 - CS sample, 61
 - interpretation, 64
 - severity measures, 65
 - stimulability assessment, 61–2
 - summarising assessment data, 65
 - SW independent analysis, 62–3
 - SW relational analysis, 62
- speech delay, 38–9
- speech delay-dysarthria (SD-DYS), 39
- speech errors, 39
- speech frequency, 350
- speech impairments, red flags for, 57*b*
- speech motor control deficit, generic transmission of, 71
- speech perception, 287–8
- speech ratings, 227–33
- speech sound disorders (SSDs), 42
 - abbreviated, 38
 - classification, 36
 - functional, 38
 - and hearing, 350–58
 - mailing lists, 362
 - milestones in history of, 8–9*t*
 - and otitis media, 352, 353*t*
 - parental involvement in treatment, 215–17
 - parent's perceptions of, 79–80
 - research needs, 349
 - role of theory in, 23–6
 - severity of, 65–9
 - subgroups of children, 49
 - survival and progress, 364–6
 - treatment of, 7, 215–17
- speed drills, 291–2
- spontaneous production, 264
- s-r delay, 264
- Stanford model, 28
- stereotyping, 343–4
- Stickler syndrome, 86
- stimulability, 95–6
- stimulability assessment, 61–2
- stimulability therapy, 97–101
- stimulability training, 241
- stimulable phonemes, 283
- stimulus characters, 98*t*
- Stoekel, Ruth, 214–17
- Stoel-Gammon, Carol, 59–65
- Stone-Goldman, Judith, 256–7
- stopping, 44, 48*t*
- Strand, Edythe, 264–5
- stress, 331–2
- structural errors, 44
- structural–functional evaluation, 231–3
 - cranial nerves, 232–3
 - diadochokinesis, 232
 - laryngeal function, 232
 - nares, 232
 - respiratory function, 231
 - soft palate movement, 232
 - sustained phonation, 231
 - velopharyngeal function and resonance, 231–2
- structuralist model, 22
- student clinicians, 184–9
 - goals, 186
 - inquiry, 187
 - issues, 186–7
 - language, 188–9
 - literature, 188
 - methods, 189
- substitution errors, 44
- substitution processes, 119
- successive approximation, 44, 250
- survival kit, 365–6
- suspected CAS (sCAS), 221, 227, 234, 265, 275–6
- sustained phonation, 231
- Sweet, Henry, 6
- syllable drill, 241, 311
- syllables, internal structure, 331–2
- syllable stress inventory, 320
- syllable structure errors, 207
- symptomatic treatment, 240–53
 - auditory input therapy, 247
 - backward build-ups, 252
 - backward chaining, 252–3
 - conversational speech production drill, 251–2
 - CV syllable and word drills, 241
 - gesture cues, 242–3*t*
 - imagery names, 242–3*t*
 - melodic intonation therapy, 247
 - metalinguistic approaches, 246
 - minimal contrast therapy, 247
 - phonetic placement, 241
 - phonotactic therapy, 243–6
 - pre-practice, 240–41
 - progressive approximations, 250
 - prolongation of vowels, 250
 - reading, 246–7
 - self-monitoring, 251
 - shaping, 241
 - singing, 249–50
 - single word production drill, 251–2
 - slowed rate of production, 250
 - stimulability training, 241

- symptomatic treatment (*continued*)
 - thematic play, 247
 - verbal cues, 242–3*t*
- symptoms, 38*t*
- syndromes, 86, 297
- systematic sound preference, 55, 61, 63, 206*b*
- Systemic Phonological Analysis of Child Speech* (SPACS), 125
- TalkTools*, 163, 279
- targets
 - compensatory errors, 287–93
 - complex, 73–8
 - and level of difficulty, 256–62
 - speech perception, 287–8
- target selection, 71–2
 - criteria, 282–6
 - developmental sequence, 282
 - inconsistently erred sounds, 283–4
 - intelligibility, 284
 - later developing sounds, 284–5
 - least phonological knowledge, 286
 - lexical properties, 286
 - marked consonants, 285
 - maximal meaningful feature contrasts, 285–6
 - minimal contrasts, 283
 - non-developmental errors, 284
 - non-stimulable phonemes, 285
 - Parents and Children Together, 305–6
 - social importance, 282
 - sonority sequencing principle, 286
 - stimulable phonemes, 283
 - systemic function of phonemes, 286
 - unfamiliar words, 283
- tasks, 48
- teachers, 347–8
- Thelwall, John, 4, 6
- thematic play, 247
- theories, 23–6
- theory of intervention, 29, 31 *f*
- theory of therapy, 29
- theory-therapy gap, 12, 347
- therapy
 - agent of therapy, 321–2
 - art of, 358–60
 - dosage, 321–2, 324–5
 - and intervention content, 323
 - planning, 321–2
 - scheduling, 321–2, 324–5
 - service delivery factors, 323–4
 - and type of speech impairment, 323
- therapy approaches, 71–2
- therapy tips, 280, 361
- Traditional Articulation Therapy, 10, 13
- transmission, 38*t*
- Treacher Collins syndrome, 86
- tympanogram, 60, 349
- tympanometry, 352*b*
- underlying representation, 330
- undifferentiated speech delay (USD), 39
- undifferentiated speech sound disorder (USSD), 39
- unfamiliar words, 283
- United Kingdom, speech intervention in, 175–9
 - assessment, 176–7
 - choosing therapy, 177–8
 - clinician confidence, 177
 - eclecticism, 178–9
 - evidence considerations, 177
 - parental involvement, 178
- universalist/structuralist theory, 21
- Unknown Set Therapy, 121–2, 249*t*
- Van Riper, Charles, 10
- Van Riper Therapy, 10, 14–15
- variation, consequences of, 344
- velar fronting, 47*t*
- velo-cardiofacial syndrome, 86
- velopharyngeal dysfunction, 287–93
- velopharyngeal incompetence, 88
- verbal cues, 242–3*t*
- Visible Speech, 6
- voice, 87
- Voice and Articulation*, 14
- voice onset time (VOT), 353
- voice quality, 230–31
- vowel inventory constraints, 205, 209, 318
- vowels
 - errors, 57*b*
 - length, 281
 - prolongation of, 250
 - reduction of length, 263
- Vowel Therapy, 147–51
 - clinical implications, 150–51
 - diagnosis, 148–9
 - indirect vs. direct focus, 149–50
 - vowel assessment and remediation, 147–8
 - vowel errors, 147–8
- weak syllable deletion, 47*t*, 245
- Web sites, 295, 363–4
- Whole Language Therapy, 135
- Williams, Lynn, 124–5
- Williams, Pam, 270–71
- within-word weak syllables, 333
- word combinations, 274
- word-final devoicing, 47*t*
- Word Flips*, 241
- words, 293–4
- Working with Children's Phonology*, 30
- word drill, 241